PAIN

Pain 107 (2004) 281–283

www.elsevier.com/locate/pain

Author Index to Volume 107 (2004)

Adams, H., see Sullivan, M.J.L., **107** 220
Alvarez, H., see Cepeda, M.S., **107** 41
Andersen, O.K., see Banic, B., **107** 7
Aoki, K.R., see Cui, M., **107** 125
Arai, N., see Tamura, Y., **107** 107
Arendt-Nielsen, L., see Banic, B., **107** 7
Arntz, A., see Janssen, S.A., **107** 227
Attal, N., see Bouhassira, D., **107** 191

Banic, B., Petersen-Felix, S., Andersen, O.K., Radanov, B.P., Villiger, P.M., Arendt-Nielsen, L., Curatolo, M., Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia, **107** 7
Barden, J., Edwards, J.E., McQuay, H.J., Moore, R.A., Pain and analgesic response after third molar extraction and other postsurgical pain, **107** 86
Baxter, G.D., see Liddle, S.D., **107** 176
Berkowitz, J., see Schultz, I.Z., **107** 77
Bevan, S., see Fox, A., **107** 33
Bonicalzi, V., see Canavero, S., **107** 279
Boothby, J.L., see Thorn, B.E., **107** 280
Bouhassira, D., Attal, N., Tassain, V., Reply to Dr Walker's comments on Tassain et al. Long term effects of oral sustained release morphine on neuropsychological performance in patients with chronic non-cancer pain (Pain 2003;104:389–400), **107** 191
Broderick, J.E., see Stone, A.A., **107** 61
Brusselmans, G., see Devulder, J., **107** 195

Canavero, S., Bonicalzi, V., Norepinephrine and pain, **107** 279
Cano, A., Gillis, M., Heinz, W., Geisser, M., Foran, H., Marital functioning, chronic pain, and psychological distress, **107** 99
Carr, D.B., see Cepeda, M.S., **107** 41
Carroll, L.J., Cassidy, J.D., Côté, P., Depression as a risk factor for onset of an episode of troublesome neck and low back pain, **107** 134
Cassidy, J.D., see Carroll, L.J., **107** 134
Cepeda, M.S., Alvarez, H., Morales, O., Carr, D.B., Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects, **107** 41
Chen, X., see Joseph, E.K., **107** 147
Chibnall, J.T., Tait, R.C., Comment on Marquie L. et al. Pain rating by patients and physicians: evidence of systematic pain miscalibration (Pain 2003;102:289–96), **107** 192
Coghill, R.C., see Koyama, Y., **107** 256
Côté, P., see Carroll, L.J., **107** 134
Courade, J.-P., see Fox, A., **107** 33
Craig, K.D., Social communication of pain enhances protective functions: a comment on Deyo, Prkachin and Mercer (2004), **107** 5
Crombez, E., see Devulder, J., **107** 195
Crombez, G., see Goubert, L., **107** 234
Crombez, G., see Van Damme, S., **107** 70
Crook, J., see Schultz, I.Z., **107** 77
Cui, M., Khanijou, S., Rubino, J., Aoki, K.R., Subcutaneous administration of botulinum toxin A reduces formalin-induced pain, **107** 125
Curatolo, M., see Banic, B., **107** 7

doi:10.1016/S0304-3959(03)00511-6

Currie, S.R., Wang, J.L., Chronic back pain and major depression in the general Canadian population, **107** 54
Curry, R., see Eisenach, J.C., **107** 207

Dahl, J.L., see Gordon, D.B., **107** 1
Dawson, J., see Fox, A., **107** 33
Deutsch, M., see Lowenstein, L., **107** 47
Devulder, J., Crombez, E., Brusselmans, G., Comment on 'Pulsed radiofrequency treatment of the gasserian ganglion in patients with idiopathic trigeminal neuralgia', **107** 195
Deyo, K.S., Prkachin, K.M., Mercer, S.R., Development of sensitivity to facial expression of pain, **107** 16
Dickman, J.K., see Radhakrishnan, R., **107** 197
Dussor, G.O., Helesic, G., Hargreaves, K.M., Flores, C.M., Cholinergic modulation of nociceptive responses in vivo and neuropeptide release in vitro at the level of the primary sensory neuron, **107** 22

Eccleston, C., see McCracken, L.M., **107** 159
Eccleston, C., see Van Damme, S., **107** 70
Ecoiffier, M., see Marquié, L., **107** 193
Edwards, J.E., see Barden, J., **107** 86
Eisenach, J.C., Thomas, J.A., Rauck, R.L., Curry, R., Li, X., Cystatin C in cerebrospinal fluid is not a diagnostic test for pain in humans, **107** 207

Ferrari, R., The clinical relevance of symptom amplification, **107** 276
Fields, H.L., see Papanastassiou, A.M., **107** 267
Flor, H., see Rothemund, Y., **107** 140
Flores, C.M., see Dussor, G.O., **107** 22
Foran, H., see Cano, A., **107** 99
Fox, A., Medhurst, S., Courade, J.-P., Glatt, M., Dawson, J., Urban, L., Bevan, S., Gonzalez, I., Anti-hyperalgesic activity of the cox-2 inhibitor lumiracoxib in a model of bone cancer pain in the rat, **107** 33
Friedman, M., see Lowenstein, L., **107** 47

Geisser, M., see Cano, A., **107** 99
Gilbert, G.H., see Riley, J.L., **107** 116
Gillis, M., see Cano, A., **107** 99
Glatt, M., see Fox, A., **107** 33
Gonzalez, I., see Fox, A., **107** 33
Gordon, D.B., Dahl, J.L., Quality improvement challenges in pain management, **107** 1
Goubert, L., Crombez, G., Van Damme, S., The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: a structural equations approach, **107** 234
Gracey, J.H., see Liddle, S.D., **107** 176
Granot, M., see Lowenstein, L., **107** 47
Gruenwald, I., see Lowenstein, L., **107** 47
Grüsser, S.M., see Rothemund, Y., **107** 140

Hargreaves, K.M., see Dussor, G.O., **107** 22
Heft, M.W., see Riley III, J.L., **107** 116
Heinz, W., see Cano, A., **107** 99
Helesic, G., see Dussor, G.O., **107** 22
Herold, C.A., see Radhakrishnan, R., **107** 197

Inoue, K., see Tamura, Y., **107** 107
Inui, K., see Nakata, H., **107** 91

Janssen, S.A., Spinhoven, P., Arntz, A., The effects of failing to control pain: an experimental investigation, **107** 227
Johnston, N.F., see Radhakrishnan, R., **107** 197
Jolliffe, C.D., Nicholas, M.K., Verbally reinforcing pain reports: an experimental test of the operant model of chronic pain, **107** 167
Joseph, E.K., Chen, X., Khasar, S.G., Levine, J.D., Novel mechanism of enhanced nociception in a model of AIDS therapy-induced painful peripheral neuropathy in the rat, **107** 147
Jull, G., see Sterling, M., **107** 277

Kakigi, R., see Nakata, H., **107** 91
Kalso, E., Biomarkers for pain
See related article by Eisenach et al., pages 207–212 of this issue, **107** 199
Kenardy, J., see Sterling, M., **107** 277
Khanijou, S., see Cui, M., **107** 125
Khasar, S.G., see Joseph, E.K., **107** 147
King, E.W., see Radhakrishnan, R., **107** 197
Koyama, T., see Koyama, Y., **107** 256
Koyama, Y., Koyama, T., Kroncke, A.P., Coghill, R.C., Effects of stimulus duration on heat induced pain: the relationship between real-time and post-stimulus pain ratings, **107** 256
Kroncke, A.P., see Koyama, Y., **107** 256

Lauque, D., see Marquié, L., **107** 193
Levine, J.D., see Joseph, E.K., **107** 147
Li, X., see Eisenach, J.C., **107** 207
Liddle, S.D., Baxter, G.D., Gracey, J.H., Exercise and chronic low back pain: what works?, **107** 176
Liebeskind, U., see Rothemund, Y., **107** 140
Lowenstein, L., Vardi, Y., Deutsch, M., Friedman, M., Gruenwald, I., Granot, M., Sprecher, E., Yarnitsky, D., Vulvar vestibulitis severity—assessment by sensory and pain testing modalities, **107** 47

Mariné, C., see Marquié, L., **107** 193
Marquié, L., Raufaste, E., Lauque, D., Mariné, C., Ecoiffier, M., Sorum, P., Further results about pain rating by patients and physicians: reply to Chibnall and Tait, **107** 193
McCracken, L.M., Vowles, K.E., Eccleston, C., Acceptance of chronic pain: component analysis and a revised assessment method, **107** 159
McQuay, H.J., see Barden, J., **107** 86
Medhurst, S., see Fox, A., **107** 33
Meloche, G.R., see Schultz, I.Z., **107** 77
Meloche, W., see Schultz, I.Z., **107** 77
Meng, I.D., see Papanastassiou, A.M., **107** 267
Mercer, S.R., see Deyo, K.S., **107** 16
Milner, R., see Schultz, I.Z., **107** 77
Mochio, S., see Tamura, Y., **107** 107
Moore, R.A., see Barden, J., **107** 86
Morales, O., see Cepeda, M.S., **107** 41

Nakata, H., Inui, K., Wasaka, T., Tamura, Y., Tran, T.D., Qiu, Y., Wang, X., Nguyen, T.B., Kakigi, R., Movements modulate cortical activities evoked by noxious stimulation, **107** 91
Nguyen, T.B., see Nakata, H., **107** 91
Nicholas, M.K., see Jolliffe, C.D., **107** 167

Ohnishi, T., see Tamura, Y., **107** 107
Okabe, S., see Tamura, Y., **107** 107
Opstelten, W., van Wijck, A.J.M., Stolker, R.J., Interventions to prevent postherpetic neuralgia: cutaneous and percutaneous techniques, **107** 202

Palermo, T.M., Valenzuela, D., Stork, P.P., A randomized trial of electronic versus paper pain diaries in children: impact on compliance, accuracy, and acceptability, **107** 213
Papanastassiou, A.M., Fields, H.L., Meng, I.D., Local application of the cannabinoid receptor agonist, WIN 55,212-2, to spinal trigeminal nucleus caudalis differentially affects nociceptive and non-nociceptive neurons, **107** 267
Petersen-Felix, S., see Banic, B., **107** 7
Prkachin, K.M., see Deyo, K.S., **107** 16

Qiu, Y., see Nakata, H., **107** 91

Radanov, B.P., see Banic, B., **107** 7
Radhakrishnan, R., King, E.W., Dickman, J.K., Herold, C.A., Johnston, N.F., Spurgin, M.L., Sluka, K.A., Erratum to "Spinal 5-HT_2 and 5-HT_3 receptors mediate low, but not high, frequency TENS-induced antihyperalgesia in rats" [Pain 105 (2003) 205–213], **107** 197
Rauck, R.L., see Eisenach, J.C., **107** 207
Raufaste, E., see Marquié, L., **107** 193
Riley III, J.L., Gilbert, G.H., Heft, M.W., Oral health attitudes and communication with laypersons about orofacial pain among middle-aged and older adults, **107** 116
Rothemund, Y., Grüsser, S.M., Liebeskind, U., Schlag, P.M., Flor, H., Phantom phenomena in mastectomized patients and their relation to chronic and acute pre-mastectomy pain, **107** 140
Rubino, J., see Cui, M., **107** 125

Saito, D.N., see Tamura, Y., **107** 107
Sandrin, D., see Warnock, F., **107** 242
Schlag, P.M., see Rothemund, Y., **107** 140
Schultz, I.Z., Crook, J., Meloche, G.R., Berkowitz, J., Milner, R., Zuberbier, O.A., Meloche, W., Psychosocial factors predictive of occupational low back disability: towards development of a return-to-work model, **107** 77
Schwartz, J.E., see Stone, A.A., **107** 61
Shiffman, S.S., see Stone, A.A., **107** 61
Sluka, K.A., see Radhakrishnan, R., **107** 197
Sorum, P., see Marquié, L., **107** 193
Spinhoven, P., see Janssen, S.A., **107** 227
Sprecher, E., see Lowenstein, L., **107** 47
Spurgin, M.L., see Radhakrishnan, R., **107** 197
Sterling, M., Jull, G., Vicenzino, B., Kenardy, J., Response to Dr Ferrari's Letter to the Editor "The clinical relevance of symptom amplification", **107** 277
Stolker, R.J., see Opstelten, W., **107** 202
Stone, A.A., Broderick, J.E., Shiffman, S.S., Schwartz, J.E., Understanding recall of weekly pain from a momentary assessment perspective: absolute agreement, between- and within-person consistency, and judged change in weekly pain, **107** 61
Stork, P.P., see Palermo, T.M., **107** 213
Sullivan, M.E., see Sullivan, M.J.L., **107** 220
Sullivan, M.J.L., see Thorn, B.E., **107** 280
Sullivan, M.J.L., Adams, H., Sullivan, M.E., Communicative dimensions of pain catastrophizing: social cueing effects on pain behaviour and coping, **107** 220

Tait, R.C., see Chibnall, J.T., **107** 192
Tamura, Y., see Nakata, H., **107** 91
Tamura, Y., Okabe, S., Ohnishi, T., Saito, D.N., Arai, N., Mochio, S., Inoue, K., Ugawa, Y., Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by capsaicin, **107** 107
Tassain, V., see Bouhassira, D., **107** 191
Thomas, J.A., see Eisenach, J.C., **107** 207
Thorn, B.E., Ward, L.C., Sullivan, M.J.L., Boothby, J.L., Erratum to "Communal coping model of castrophizing: conceptual model building" [Pain 106 (2003) 1–2], **107** 280
Tran, T.D., see Nakata, H., **107** 91

Ugawa, Y., see Tamura, Y., **107** 107
Urban, L., see Fox, A., **107** 33

Valenzuela, D., see Palermo, T.M., **107** 213
Van Damme, S., see Goubert, L., **107** 234
Van Damme, S., Crombez, G., Eccleston, C., Disengagement from pain: the role of catastrophic thinking about pain, **107** 70
van Wijck, A.J.M., see Opstelten, W., **107** 202

Van Zundert, J., Response to 'Comment on Pulsed radiofrequency treatment of the Gasserian Ganglion in patients with idiopathic trigeminal neuralgia', **107** 195
Vardi, Y., see Lowenstein, L., **107** 47
Vicenzino, B., see Sterling, M., **107** 277
Villiger, P.M., see Banic, B., **107** 7
Vowles, K.E., see McCracken, L.M., **107** 159

Walker, J., Comment on: Tassain V, Attal N, Fletcher C, Brasseur L, Dégieux P, Chauvin M, Bouhassira D. Long term effects of oral sustained release morphine on neuropsychological performance in patients with chronic non-malignant pain. Pain 104: 389–400, **107** 191
Wang, J.L., see Currie, S.R., **107** 54
Wang, X., see Nakata, H., **107** 91
Ward, L.C., see Thorn, B.E., **107** 280
Warnock, F., Sandrin, D., Comprehensive description of newborn distress behavior in response to acute pain (newborn male circumcision), **107** 242
Wasaka, T., see Nakata, H., **107** 91

Yarnitsky, D., see Lowenstein, L., **107** 47

Zuberbier, O.A., see Schultz, I.Z., **107** 77

PAIN

Pain 107 (2004) 284–287

www.elsevier.com/locate/pain

Subject Index Volume 107 (2004)

Acceptance
The effects of failing to control pain: an experimental investigation, **107**, 227
Accuracy
A randomized trial of electronic versus paper pain diaries in children: impact on compliance, accuracy, and acceptability, **107**, 213
Acquired immune deficiency syndrome
Novel mechanism of enhanced nociception in a model of AIDS therapy-induced painful peripheral neuropathy in the rat, **107**, 147
Acute pain
Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by capsaicin, **107**, 107
Acute surgical pain
Comprehensive description of newborn distress behavior in response to acute pain (newborn male circumcision), **107**, 242
Adaptation
Effects of stimulus duration on heat induced pain: the relationship between real-time and post-stimulus pain ratings, **107**, 256
Agreement
Understanding recall of weekly pain from a momentary assessment perspective: absolute agreement, between- and within-person consistency, and judged change in weekly pain, **107**, 61
Allodynia
Anti-hyperalgesic activity of the cox-2 inhibitor lumiracoxib in a model of bone cancer pain in the rat, **107**, 33
Analgesia
Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects, **107**, 41
Anger
The effects of failing to control pain: an experimental investigation, **107**, 227
Anxiety
Marital functioning, chronic pain, and psychological distress, **107**, 99
Attention
Disengagement from pain: the role of catastrophic thinking about pain, **107**, 70
Attitudes
Oral health attitudes and communication with laypersons about orofacial pain among middle-aged and older adults, **107**, 116
Beliefs
Oral health attitudes and communication with laypersons about orofacial pain among middle-aged and older adults, **107**, 116
Biomarker
Cystatin C in cerebrospinal fluid is not a diagnostic test for pain in humans, **107**, 207
BOTOX®
Subcutaneous administration of botulinum toxin A reduces formalin-induced pain, **107**, 125
Botulinum toxin A
Subcutaneous administration of botulinum toxin A reduces formalin-induced pain, **107**, 125
Canadian Community Health Survey
Chronic back pain and major depression in the general Canadian population, **107**, 54
Cancer pain
Anti-hyperalgesic activity of the cox-2 inhibitor lumiracoxib in a model of bone cancer pain in the rat, **107**, 33
Cannabinoid receptor agonist
Local application of the cannabinoid receptor agonist, WIN 55,212-2, to spinal trigeminal nucleus caudalis differentially affects nociceptive and non-nociceptive neurons, **107**, 267
Capsaicin
Cholinergic modulation of nociceptive responses in vivo and neuropeptide release in vitro at the level of the primary sensory neuron, **107**, 22
Capsaicin
Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by capsaicin, **107**, 107
Catastrophizing
Disengagement from pain: the role of catastrophic thinking about pain, **107**, 70
Central hypersensitivity
Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia, **107**, 7
Cerebrospinal fluid
Cystatin C in cerebrospinal fluid is not a diagnostic test for pain in humans, **107**, 207
Chronic
Verbally reinforcing pain reports: an experimental test of the operant model of chronic pain, **107**, 167
Chronic low back pain
Exercise and chronic low back pain: what works?, **107**, 176
Chronic pain
A randomized trial of electronic versus paper pain diaries in children: impact on compliance, accuracy, and acceptability, **107**, 213
Chronic pain
Acceptance of chronic pain: component analysis and a revised assessment method, **107**, 159
Chronic pain
Chronic back pain and major depression in the general Canadian population, **107**, 54
Chronic pain
Marital functioning, chronic pain, and psychological distress, **107**, 99
Chronic Pain Acceptance Questionnaire
Acceptance of chronic pain: component analysis and a revised assessment method, **107**, 159
Clinical trial
Cystatin C in cerebrospinal fluid is not a diagnostic test for pain in humans, **107**, 207
Communication
Oral health attitudes and communication with laypersons about orofacial pain among middle-aged and older adults, **107**, 116
Compliance
A randomized trial of electronic versus paper pain diaries in children: impact on compliance, accuracy, and acceptability, **107**, 213
Compliance
Exercise and chronic low back pain: what works?, **107**, 176
Component analysis
Acceptance of chronic pain: component analysis and a revised assessment method, **107**, 159

doi:10.1016/S0304-3959(03)00512-8

Consistency
Understanding recall of weekly pain from a momentary assessment perspective: absolute agreement, between- and within-person consistency, and judged change in weekly pain, **107**, 61
Continuous
Effects of stimulus duration on heat induced pain: the relationship between real-time and post-stimulus pain ratings, **107**, 256
Coping
Communicative dimensions of pain catastrophizing: social cueing effects on pain behaviour and coping, **107**, 220
COX-2 enzyme inhibitors
Anti-hyperalgesic activity of the cox-2 inhibitor lumiracoxib in a model of bone cancer pain in the rat, **107**, 33
Craniofacial pain
Local application of the cannabinoid receptor agonist, WIN 55,212-2, to spinal trigeminal nucleus caudalis differentially affects nociceptive and non-nociceptive neurons, **107**, 267
Cystatin C
Cystatin C in cerebrospinal fluid is not a diagnostic test for pain in humans, **107**, 207
Depression
Chronic back pain and major depression in the general Canadian population, **107**, 54
Depression
Depression as a risk factor for onset of an episode of troublesome neck and low back pain, **107**, 134
Depression
Marital functioning, chronic pain, and psychological distress, **107**, 99
Development
Development of sensitivity to facial expression of pain, **107**, 16
Diaries
Understanding recall of weekly pain from a momentary assessment perspective: absolute agreement, between- and within-person consistency, and judged change in weekly pain, **107**, 61
Diary assessment
A randomized trial of electronic versus paper pain diaries in children: impact on compliance, accuracy, and acceptability, **107**, 213
Disease severity
Vulvar vestibulitis severity—assessment by sensory and pain testing modalities, **107**, 47
Distress
Comprehensive description of newborn distress behavior in response to acute pain (newborn male circumcision), **107**, 242
Ecological Momentary Assessment
Understanding recall of weekly pain from a momentary assessment perspective: absolute agreement, between- and within-person consistency, and judged change in weekly pain, **107**, 61
Electronic diaries
A randomized trial of electronic versus paper pain diaries in children: impact on compliance, accuracy, and acceptability, **107**, 213
Ethological methods
Comprehensive description of newborn distress behavior in response to acute pain (newborn male circumcision), **107**, 242
Exercise
Exercise and chronic low back pain: what works?, **107**, 176
Experimental pain
Disengagement from pain: the role of catastrophic thinking about pain, **107**, 70
Expression
Development of sensitivity to facial expression of pain, **107**, 16
Facial action coding system
Development of sensitivity to facial expression of pain, **107**, 16
Facial expression
Development of sensitivity to facial expression of pain, **107**, 16
Failure
The effects of failing to control pain: an experimental investigation, **107**, 227
Fibromyalgia
Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia, **107**, 7
Formalin
Cholinergic modulation of nociceptive responses in vivo and neuropeptide release in vitro at the level of the primary sensory neuron, **107**, 22
Formalin model
Subcutaneous administration of botulinum toxin A reduces formalin-induced pain, **107**, 125
Gender differences
Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects, **107**, 41
Glutamate release
Subcutaneous administration of botulinum toxin A reduces formalin-induced pain, **107**, 125
Handheld computer
A randomized trial of electronic versus paper pain diaries in children: impact on compliance, accuracy, and acceptability, **107**, 213
Highly active anti-retroviral therapy
Novel mechanism of enhanced nociception in a model of AIDS therapy-induced painful peripheral neuropathy in the rat, **107**, 147
Hyperalgesia
Anti-hyperalgesic activity of the cox-2 inhibitor lumiracoxib in a model of bone cancer pain in the rat, **107**, 33
Incidence
Depression as a risk factor for onset of an episode of troublesome neck and low back pain, **107**, 134
Inflammation
Cholinergic modulation of nociceptive responses in vivo and neuropeptide release in vitro at the level of the primary sensory neuron, **107**, 22
Inflammatory pain
Subcutaneous administration of botulinum toxin A reduces formalin-induced pain, **107**, 125
Labor pain
Cystatin C in cerebrospinal fluid is not a diagnostic test for pain in humans, **107**, 207
Lay consultation
Oral health attitudes and communication with laypersons about orofacial pain among middle-aged and older adults, **107**, 116
Low back disability
Psychosocial factors predictive of occupational low back disability: towards development of a return-to-work model, **107**, 77
Low back pain
Depression as a risk factor for onset of an episode of troublesome neck and low back pain, **107**, 134
Lumiracoxib
Anti-hyperalgesic activity of the cox-2 inhibitor lumiracoxib in a model of bone cancer pain in the rat, **107**, 33
Magnetoencephalography
Movements modulate cortical activities evoked by noxious stimulation, **107**, 91
Marriage
Marital functioning, chronic pain, and psychological distress, **107**, 99
Mastectomy
Phantom phenomena in mastectomized patients and their relation to chronic and acute pre-mastectomy pain, **107**, 140
Meta-analyses
Pain and analgesic response after third molar extraction and other post-surgical pain, **107**, 86
Methodological quality
Exercise and chronic low back pain: what works?, **107**, 176
Mitochondrial toxicity
Novel mechanism of enhanced nociception in a model of AIDS therapy-induced painful peripheral neuropathy in the rat, **107**, 147

Molar extraction
Pain and analgesic response after third molar extraction and other post-surgical pain, **107**, 86
Morphine
Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects, **107**, 41
Motor cortex
Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by capsaicin, **107**, 107
Movement
Movements modulate cortical activities evoked by noxious stimulation, **107**, 91
Muscarinic receptor
Cholinergic modulation of nociceptive responses in vivo and neuropeptide release in vitro at the level of the primary sensory neuron, **107**, 22
Naloxone
Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects, **107**, 41
Neck pain
Depression as a risk factor for onset of an episode of troublesome neck and low back pain, **107**, 134
Neuropathic pain
Cystatin C in cerebrospinal fluid is not a diagnostic test for pain in humans, **107**, 207
Neuroticism
The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: a structural equations approach, **107**, 234
Newborn male circumcision
Comprehensive description of newborn distress behavior in response to acute pain (newborn male circumcision), **107**, 242
Nociception
Cholinergic modulation of nociceptive responses in vivo and neuropeptide release in vitro at the level of the primary sensory neuron, **107**, 22
Nociceptive reflex
Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia, **107**, 7
Noxious stimulation
Movements modulate cortical activities evoked by noxious stimulation, **107**, 91
Nucleoside reverse transcriptase inhibitors
Novel mechanism of enhanced nociception in a model of AIDS therapy-induced painful peripheral neuropathy in the rat, **107**, 147
Operant
Verbally reinforcing pain reports: an experimental test of the operant model of chronic pain, **107**, 167
Opioid antagonist
Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects, **107**, 41
Opioids
Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects, **107**, 41
Orofacial pain
Oral health attitudes and communication with laypersons about orofacial pain among middle-aged and older adults, **107**, 116
Outcome measures
Exercise and chronic low back pain: what works?, **107**, 176
Pain
Comprehensive description of newborn distress behavior in response to acute pain (newborn male circumcision), **107**, 242
Pain
Development of sensitivity to facial expression of pain, **107**, 16
Pain
Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia, **107**, 7
Pain
Movements modulate cortical activities evoked by noxious stimulation, **107**, 91
Pain
Verbally reinforcing pain reports: an experimental test of the operant model of chronic pain, **107**, 167
Pain behaviour
Communicative dimensions of pain catastrophizing: social cueing effects on pain behaviour and coping, **107**, 220
Pain catastrophizing
Communicative dimensions of pain catastrophizing: social cueing effects on pain behaviour and coping, **107**, 220
Pain catastrophizing
The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: a structural equations approach, **107**, 234
Pain relief
Addition of ultralow dose naloxone to postoperative morphine PCA: unchanged analgesia and opioid requirement but decreased incidence of opioid side effects, **107**, 41
Pain threshold
Vulvar vestibulitis severity—assessment by sensory and pain testing modalities, **107**, 47
Painful peripheral neuropathy
Novel mechanism of enhanced nociception in a model of AIDS therapy-induced painful peripheral neuropathy in the rat, **107**, 147
Pain-related fear
The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: a structural equations approach, **107**, 234
Perceived control
The effects of failing to control pain: an experimental investigation, **107**, 227
Perseveration
The effects of failing to control pain: an experimental investigation, **107**, 227
Personality
The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: a structural equations approach, **107**, 234
Phantom phenomena
Phantom phenomena in mastectomized patients and their relation to chronic and acute pre-mastectomy pain, **107**, 140
Post-pain behavior
Comprehensive description of newborn distress behavior in response to acute pain (newborn male circumcision), **107**, 242
Postsurgical pain
Pain and analgesic response after third molar extraction and other post-surgical pain, **107**, 86
Pre-operative pain
Phantom phenomena in mastectomized patients and their relation to chronic and acute pre-mastectomy pain, **107**, 140
Primary afferent nociceptor
Novel mechanism of enhanced nociception in a model of AIDS therapy-induced painful peripheral neuropathy in the rat, **107**, 147
Psychological predictors
Psychosocial factors predictive of occupational low back disability: towards development of a return-to-work model, **107**, 77
Quantitative sensory testing
Vulvar vestibulitis severity—assessment by sensory and pain testing modalities, **107**, 47
Reinforcement
Verbally reinforcing pain reports: an experimental test of the operant model of chronic pain, **107**, 167
Relief
Understanding recall of weekly pain from a momentary assessment perspective: absolute agreement, between- and within-person consistency, and judged change in weekly pain, **107**, 61

Repetitive transcranial magnetic stimulation
Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by capsaicin, **107**, 107
Risk
Depression as a risk factor for onset of an episode of troublesome neck and low back pain, **107**, 134
Sensory neuron
Cholinergic modulation of nociceptive responses in vivo and neuropeptide release in vitro at the level of the primary sensory neuron, **107**, 22
Single-photon emission computed tomography
Effects of 1-Hz repetitive transcranial magnetic stimulation on acute pain induced by capsaicin, **107**, 107
Social context
Communicative dimensions of pain catastrophizing: social cueing effects on pain behaviour and coping, **107**, 220
Spinal cord
Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia, **107**, 7
Static
Effects of stimulus duration on heat induced pain: the relationship between real-time and post-stimulus pain ratings, **107**, 256
Summation
Effects of stimulus duration on heat induced pain: the relationship between real-time and post-stimulus pain ratings, **107**, 256
Supervision
Exercise and chronic low back pain: what works?, **107**, 176
Supra-threshold
Vulvar vestibulitis severity—assessment by sensory and pain testing modalities, **107**, 47
Temporal
Effects of stimulus duration on heat induced pain: the relationship between real-time and post-stimulus pain ratings, **107**, 256
Verbal
Verbally reinforcing pain reports: an experimental test of the operant model of chronic pain, **107**, 167
Vigilance
The role of neuroticism, pain catastrophizing and pain-related fear in vigilance to pain: a structural equations approach, **107**, 234
Visual analogue scale
Effects of stimulus duration on heat induced pain: the relationship between real-time and post-stimulus pain ratings, **107**, 256
Vulvar vestibulitis syndrome
Vulvar vestibulitis severity—assessment by sensory and pain testing modalities, **107**, 47
Whiplash
Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia, **107**, 7
Wide dynamic range
Local application of the cannabinoid receptor agonist, WIN 55,212-2, to spinal trigeminal nucleus caudalis differentially affects nociceptive and non-nociceptive neurons, **107**, 267
Workplace injury
Psychosocial factors predictive of occupational low back disability: towards development of a return-to-work model, **107**, 77
YAG laser
Movements modulate cortical activities evoked by noxious stimulation, **107**, 91